

MARCH 2026

**Starlit**™  
Brightening your world



OVER 50 YEARS IN LIGHTING

[www.starlit.co.za](http://www.starlit.co.za)




**W**e are a group dealing in all types of light fittings for over 50 years. We have internationally dealt in these products in Europe, Asia, Africa, Arabian Gulf and virtually every major light fitting market. No wonder, our sophisticated lighting range is designed and manufactured to international specifications.

We strive to provide our customers the highest quality offerings from around the globe and endeavour to bring the latest international lighting trends to the world.

Our emphasis has and shall always be to meet our customers' needs.

Change in our product is inevitable as we constantly endeavour to upgrade ourselves. Product supply therefore may differ from the illustrations in the catalogue.



## Page No. & Products

- 01 LED Bulbs
- 07 LED Insect Killers
- 08 LED Tubes
- 09 LED Strips/Fairy Lights
- 11 Emergency Lights
- 12 LED Highbays
- 13 LED Floodlights
- 15 Solar Lights
- 19 T8 Open Channels
- 21 T8 Cabinet Fittings
- 22 T8 Weather Proof
- 23 LED Linear Lights
- 24 T8 Recessed
- 25 Big Panels
- 26 T8/T5 Decorative
- 27 Glass Ceiling Lights
- 28 Plastic Ceiling Lights
- 29 GU10 Lampholders
- 30 Downlighters
- 31 LED Round Panels
- 31 LED Modules
- 32 Wall Lights & Bulkheads
- 35 On Promotion



**LIGHT SOURCE**  
**LED BULBS-230V**



**SPIRAL CORN E27**  
**9W/12W**



**SPIRAL CORN B22**  
**9W/12W**



**SPIRAL CORN E27/E40**  
**24W/36W**

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/9W/L ED/SP/E27	8906	SPIRAL CORN	9W	E27	Ø49XH120MM	DL-6000K	2 YEAR
ES174/9W/L ED/SP/B22	8907	SPIRAL CORN	9W	B22	Ø49XH120MM	DL-6000K	2 YEAR
ES174/12W/ LED/SP/E27	8908	SPIRAL CORN	12W	E27	Ø61XH140MM	DL-6000K	2 YEAR
ES174/12W/ LED/SP/B22	8909	SPIRAL CORN	12W	B22	Ø61XH140MM	DL-6000K	2 YEAR
ES174/24W/ LED/SP/E27	8910	SPIRAL CORN	24W	E27	Ø81XH170MM	DL-6000K	2 YEAR
ES174/24W/ LED/SP/B22	8911	SPIRAL CORN	24W	B22	Ø81XH170MM	DL-6000K	2 YEAR
ES174/36W/ LED/SP/E40	8912	SPIRAL CORN	36W	E40	Ø81XH200MM	DL-6000K	2 YEAR



**3U CORN E27**  
**7W/9W**



**3U CORN B22**  
**7W/9W**



**4U CORN E40**  
**36W**

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES73/LED/3 U/7W/E27	8580	3U CORN	7W	E27	Ø42XH130MM	DL-6000K	2 YEAR
ES93/LED/3 U/7W/B22	8582	3U CORN	7W	B22	Ø42XH130MM	DL-6000K	2 YEAR
ES60/LED/3 U/9W/E27	8540	3U CORN	9W	E27	Ø42XH140MM	DL-6000K	2 YEAR
ES67/LED/3 U/9W/B22	8548	3U CORN	9W	B22	Ø42XH140MM	DL-6000K	2 YEAR
ES174/36W/ LED/4U/E40	8913	4U CORN	36W	E40	Ø73XH280MM	DL-6000K	2 YEAR

 **LIGHT SOURCE**  
**LED BULBS-230V**



**A60 GLOBE E27**  
7W/9W/12W



**A60 GLOBE B22**  
7W/9W/12W

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/7W/LED/ A60/E27	8889	A60	7W	E27	Ø60XH105MM	DL-6000K	1 YEAR
ES174/7W/LED/ A60/B22	8890	A60	7W	B22	Ø60XH105MM	DL-6000K	1 YEAR
ES174/9W/LED/ A60/E27	8891	A60	9W	E27	Ø60XH110MM	DL-6000K	1 YEAR
ES174/9W/LED/ A60/B22	8892	A60	9W	B22	Ø60XH110MM	DL-6000K	1 YEAR
ES174/12W/LE D/A60/E27	8893	A60	12W	E27	Ø60XH114MM	DL-6000K	1 YEAR
ES174/12W/LE D/A60/B22	8894	A60	12W	B22	Ø60XH114MM	DL-6000K	1 YEAR



**C37 CANDLE**  
**E14 5W**



**C37 CANDLE**  
**E27 5W**



**G45 GOLFBALL**  
**3W E14**



**G45 GOLFBALL**  
**5W E27**

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/5W/LED/ CAN/E14	8898	C37 CANDLE	5W	E14	Ø37XH110MM	DL-6000K	1 YEAR
ES174/5W/LED/ CAN/E27	8931	C37 CANDLE	5W	E27	Ø37XH110MM	DL-6000K	1 YEAR
ES174/5W/LED/ CAN/B22	8932	C37 CANDLE	5W	B22	Ø37XH110MM	DL-6000K	1 YEAR
ES174/3W/LED/ G45/E14	8900	G45 GOLFBALL	3W	E14	Ø45XH80MM	DL-6000K	1 YEAR
ES174/5W/LED/ G45/E27	8901	G45 GOLFBALL	5W	E27	Ø45XH80MM	DL-6000K	1 YEAR

**LIGHT SOURCE**  
**LED BULBS-230V**



**GU10 LED**  
**4W/5W/7W**



**3 CCT GU10 LED 7W**  
**6000K|4000K|3000K**  
**Switch on the body**



**R50/R63 REFLECTOR**  
**5W E14/ 7W E27**

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/4W/LED /GU10	8895	Gu10	4W	Gu10	Ø50XH55MM	DL-6000K	1 YEAR
ES174/5W/LED /GU10	8896	Gu10	5W	Gu10	Ø50XH55MM	DL-6000K	1 YEAR
ES174/7W/LED /GU10	8897	Gu10	7W	Gu10	Ø50XH55MM	DL-6000K	1 YEAR
ES174/7W/LED /GU10/3CCT	8956	Gu10	7W	Gu10	Ø50XH55MM	3 CCT	2 YEAR
ES174/5W/LED /R50/E14	8899	R50 REFLECTOR	5W	E14	Ø50XH85MM	DL-6000K	1 YEAR
ES157/LED/7W /R63/E27	8836	R63 REFLECTOR	7W	E27	Ø63XH100MM	DL-6000K	1 YEAR



**LED STICK E27**  
9W/12W



**LED STICK B22**  
9W/12W



**ROTATIONAL T HEAD**  
12W E27/B22

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/9W/LED/ STICK/E27	8902	STICK BULB	9W	E27	Ø36XH114MM	DL-6000K	2 YEAR
ES174/9W/LED/ STICK/B22	8903	STICK BULB	9W	B22	Ø36XH114MM	DL-6000K	2 YEAR
ES174/12W/LED/ STICK/E27	8904	STICK BULB	12W	E27	Ø44XH134MM	DL-6000K	2 YEAR
ES174/12W/LED/ STICK/B22	8905	STICK BULB	12W	B22	Ø44XH134MM	DL-6000K	2 YEAR
ES120/LED/12W/ T200/E27	8762	T HEAD ROTATING	12W	E27	L200XH90MM	DL-6000K	2 YEAR
ES121/LED/12W/ T200/B22	8763	T HEAD ROTATING	12W	B22	L200XH90MM	DL-6000K	2 YEAR


**LIGHT SOURCE**  
**LED BULBS-230V**



2W G4 LED, 12V



3W/5W G9 LED, 230V



4W Candle Filament

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES174/2W/LED /G4	8915	G4 BULB	2W	G4	Ø10XH36MM	DL-6000K	2 YEAR
ES174/3W/LED /G9	8916	G9 BULB	3W	G9	Ø16XH50MM	DL-6000K	2 YEAR
ES174/5W/LED /G9	8917	G9 BULB	5W	G9	Ø16XH50MM	DL-6000K	2 YEAR
ES86/FILA/LED/4W/C35/E14	8570	C35 FILAMENT	4W	E14	Ø35XH97MM	WW-3000K	2 YEAR

**REPELLENT**  
**LED INSECT KILLER**

**F103/8W/LED**  
**8946**  
8W LED Insect Killer  
L347XW53XH230MM  
including 2X4W LED Lamps  
Effective Area 60m<sup>2</sup>  
with chain and plug

**F103/10W/LED**  
**8947**  
10W LED Insect Killer  
L446XW53XH230MM  
including 2X5W LED Lamps  
Effective Area 80m<sup>2</sup>  
with chain and plug





**ES133-T8 LED TUBES**  
**ES118- T5 LED TUBES**  
Single end AC Input, Frosted Glass



**F76**  
**T8 INTEGRATED TUBE**

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES133/10W	8797	T8 LED 2FT	10W	G13	Ø26XH600MM	DL-6500K	1 YEAR
ES133/18W	8798	T8 LED 4FT	18W	G13	Ø26XH1200MM	DL-6500K	1 YEAR
ES133/25W	8799	T8 LED 5FT	25W	G13	Ø26XH1500MM	DL-6500K	1 YEAR
ES118/10W	8758	T5 LED 2FT	10W	G5	Ø20XH549MM	DL-6500K	2 YEAR
ES118/18W	8759	T5 LED 4FT	18W	G5	Ø20XH1149MM	DL-6500K	2 YEAR
ES118/25W	8760	T5 LED 5FT	25W	G5	Ø20XH1449MM	DL-6500K	2 YEAR
F76/18W	8575	INTEGRATED	18W	T8	L1200XW30XH 35MM	DL-6500K	2 YEAR

**LIGHT SOURCE**  
**LED BULBS-230V**



**ES174/6W/LED/YELLOW**  
 8942 (E27)  
 8964 (B22)



**ES174/6W/LED/RED**  
 8943 (E27)  
 8965 (B22)



**ES174/6W/LED/GREEN**  
 8944 (E27)  
 8966 (B22)



**ES174/6W/LED/BLUE**  
 8945 (E27)  
 8967 (B22)

**Colorful Diamond/Crystal LED Bulbs**  
 6W, 230V, Ø36XH102MM, Beam Angle 360°, 2yr warranty  
 Available in E27/B22, Yellow, Red, Green & Blue colors

**PLUGS**  
**FOR ROPE/FAIRY LIGHTS**



**ES130/PLUG**  
**8781**  
 Plug for LED Fairy Light



**ES175/PLUG SET**  
**8951**  
 Plug for SMD2835 Strip Roll



**ES99/RGB/CONTROLLER**  
**8871**  
 RGB Button Controller for  
 RGB SMD5050 Strip Roll

Each set includes one 0.5M EU plug, one end cap  
 and one pin for LED Rope Light






**LIGHT SOURCE**  
**LED STRIPS/FAIRY LIGHT-230V**



**ES175/DL**  
**8948**



**ES175/WW**  
**8949**



**ES175/BLUE**  
**8950**



**ES143/GREEN**  
**8882**



**ES143/RED**  
**8883**



**ES99/RGB**  
**8870**

**HIGH VOLTAGE LED STRIP/ ROPE LIGHT 220-240V AC**

IP65, 1M Cuttable, Clear PVC cover

100M Roll SMD2835-120LED 6W/M, Available in White, Warm White, Blue, Green, Red Color

50M Roll SMD5050-60LED 14.4W/M, Available in RGB Color



**ES130/DL**  
**8777**



**ES130/WW**  
**8778**



**ES130/RGB**  
**8779**



**ES130/BLUE**  
**8780**

**OUTDOOR LED STRING/FAIRYLIGHT**

IP65, 10W, 10M, 100LED, 10LED/M, 220-240V AC, Clear PVC Cover, With Male Female Connector

Daylight/Warm White/Blue- Self Flashing (9 Steady+1 Flash)

RGB- Full Self Flashing



**LIGHT SOURCE**  
**EMERGENCY LIGHTS**



**ES165/ES166**  
RECHARGEABLE  
A60 LED 7W E27/B22  
1200mAH Li-ion Battery  
2-3H Emergency Time



**ES167**  
RECHARGEABLE  
GU10 5W  
500mAH Li-ion Battery  
2-3H Emergency Time



**FL26**  
RECHARGEABLE  
4W, 60LED LANTERN  
1200mAH Li-ion Battery  
Wall Mounting & Portable  
Including AC charging Cable

**ES168**  
RECHARGEABLE TUBE LIGHT 60W  
Wall Mounting & Portable  
3 Lights Mode, 3000mAH Li-ion Battery  
2-3H Emergency Time  
Including USB Charging Cable  
Can be mounted with a hook or magnet



**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	COL. TEMP.	WARRANTY
ES165	8860	A60	7W	E27	Ø60XH115MM	DL-6500K	1 YEAR
ES166	8861	A60	7W	B22	Ø60XH115MM	DL-6500K	1 YEAR
ES167	8866	GU10	5W	GU10	Ø50XH80MM	DL-6500K	1 YEAR
FL26	8857	LANTERN	4W	-	L250XW55XD30MM	DL-6500K	1 YEAR
ES168	8867	TUBE	60W	T5	L520XW25XD40MM	DL-6500K	1 YEAR





**S625**  
**UFO LED HIGHBAY**  
100W/150W/200W  
IP65, Diecast Aluminium body  
with Isolated driver



**FL32**  
**DOB UFO LED HIGHBAY**  
100W/150W/200W  
IP65, Diecast Aluminium body

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	DRIVER	SIZE	COL. TEMP.	WARRANTY
S625/100W	8811	UFO Highbay	100W	Isolated	Ø240XH125MM	DL-6000K	3 YEAR
S625/150W	8812	UFO Highbay	150W	Isolated	Ø300XH140MM	DL-6000K	3 YEAR
S625/200W	8813	UFO Highbay	200W	Isolated	Ø355XH142MM	DL-6000K	3 YEAR
FL32/100W	8933	UFO Highbay	100W	DOB	Φ230XH73MM	DL-6000K	2 YEAR
FL32/150W	8934	UFO Highbay	150W	DOB	Φ280XH73MM	DL-6000K	2 YEAR
FL32/200W	8935	UFO Highbay	200W	DOB	Φ320XH73MM,	DL-6000K	2 YEAR
S628/100W	8958	Highbay Bulb	100W	DOB	Ø153XH262MM	DL-6000K	2 YEAR



**S628/100W/LED**  
**LED HIGHBAY BULB**  
100W, E40, IP20

**OUTDOOR LIGHTS**  
**LED FLOOD LIGHTS-230V**



**FL28**  
 SMD LED FLOOD LIGHT  
 10W/20W/30W/50W/80W/100W/150W/200W  
 IP65, Aluminium +Tempered Glass



**FL31**  
 SMD LED FLOOD LIGHT  
 300W/400W/500W  
 IP65, Aluminium +Tempered Glass

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
FL28/10W	8661	DRIVERLESS FLOOD LIGHT	10W	L87XW83XD27MM	DL-6000K	2 YEAR
FL28/20W	8662	DRIVERLESS FLOOD LIGHT	20W	L103XW99XD27MM	DL-6000K	2 YEAR
FL28/30W	8663	DRIVERLESS FLOOD LIGHT	30W	L115XW111XD29MM	DL-6000K	2 YEAR
FL28/50W	8664	DRIVERLESS FLOOD LIGHT	50W	L139XW135XD29MM	DL-6000K	2 YEAR
FL28/80W	8665	DRIVERLESS FLOOD LIGHT	80W	L170XW165XD30MM	DL-6000K	2 YEAR
FL28/100W	8666	DRIVERLESS FLOOD LIGHT	100W	L210XW200XD32MM	DL-6000K	2 YEAR
FL28/150W	8667	DRIVERLESS FLOOD LIGHT	150W	L305XW295XD37MM	DL-6000K	2 YEAR
FL28/200W	8668	DRIVERLESS FLOOD LIGHT	200W	L350XW340XD38MM	DL-6000K	2 YEAR
FL31/300W	8918	DRIVERLESS FLOOD LIGHT	300W	L433XW318XD31MM	DL-6000K	2 YEAR
FL31/400W	8919	DRIVERLESS FLOOD LIGHT	400W	L488XW328XD39MM	DL-6000K	2 YEAR
FL31/500W	8936	DRIVERLESS FLOOD LIGHT	500W	L592XW328XD39MM	DL-6000K	2 YEAR





**FL30**  
ECONOMIC DRIVERLESS  
LED FLOOD LIGHTS 10W TO 100W  
IP65, Aluminium+Tempered Glass



**FL30/SEN**  
ECONOMIC DRIVERLESS  
SENSOR LED FLOOD LIGHT 10W TO 50W  
WITH PIR MOTION SENSOR  
IP65, Aluminium+Tempered Glass

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
FL30/10W	8844	DRIVERLESS FLOOD LIGHT	10W	L77XW73XD26MM	DL-6000K	1 YEAR
FL30/20W	8845	DRIVERLESS FLOOD LIGHT	20W	L100XW70XD28MM	DL-6000K	1 YEAR
FL30/30W	8846	DRIVERLESS FLOOD LIGHT	30W	L115XW82XD26MM	DL-6000K	1 YEAR
FL30/50W	8847	DRIVERLESS FLOOD LIGHT	50W	L140XW100XD27MM	DL-6000K	1 YEAR
FL30/100W	8848	DRIVERLESS FLOOD LIGHT	100W	L220XW165XD37MM	DL-6000K	1 YEAR
FL30/SENSOR /10W	8875	SENSOR FLOOD LIGHT	10W	L77XW73XD26MM	DL-6000K	1 YEAR
FL30/SENSOR /20W	8876	SENSOR FLOOD LIGHT	20W	L100XW70XD28MM	DL-6000K	1 YEAR
FL30/SENSOR /30W	8877	SENSOR FLOOD LIGHT	30W	L115XW82XD26MM	DL-6000K	1 YEAR
FL30/SENSOR /50W	8878	SENSOR FLOOD LIGHT	50W	L140XW100XD27MM	DL-6000K	1 YEAR

## OUTDOOR LIGHTS SOLAR LED FLOOD LIGHTS



**FL35/SL**  
**SOLAR LED FLOOD LIGHTS**  
50W/100W/150W/200W/300W  
IP65, Aluminium body



**FL36/SL**  
**SOLAR LED FLOOD LIGHTS**  
100W/200W/300W/400W/500W  
IP65, ABS body

Working Mode: Light Control+Remote Control  
With Monocrystalline silicon Solar panel, Remote Control, LiFePO4-3.2V Li-ion Batteries and a 5m cable  
Charging time: 4-6hours, Working time: 10-12hours

### SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
FL35/SL/50W/LED	8884	SOLAR LED FLOOD LIGHT	50W	L155XW135XD45MM	DL-6500K	2 YEAR
FL35/SL/100W/LED	8885	SOLAR LED FLOOD LIGHT	100W	L189XW166XD45MM	DL-6500K	2 YEAR
FL35/SL/150W/LED	8886	SOLAR LED FLOOD LIGHT	150W	L236XW186XD45MM	DL-6500K	2 YEAR
FL35/SL/200W/LED	8887	SOLAR LED FLOOD LIGHT	200W	L290XW230XD47MM	DL-6500K	2 YEAR
FL35/SL/300W/LED	8888	SOLAR LED FLOOD LIGHT	300W	L350XW270XD47MM	DL-6500K	2 YEAR
FL36/SL/100W/LED	8920	SOLAR LED FLOOD LIGHT	100W	L230XW170XD50MM	DL-6500K	1 YEAR
FL36/SL/200W/LED	8921	SOLAR LED FLOOD LIGHT	200W	L280XW220XD55MM	DL-6500K	1 YEAR
FL36/SL/300W/LED	8922	SOLAR LED FLOOD LIGHT	300W	L320XW245XD55MM	DL-6500K	1 YEAR
FL36/SL/400W/LED	8923	SOLAR LED FLOOD LIGHT	400W	L355XW270XD58MM	DL-6500K	1 YEAR
FL36/SL/500W/LED	8924	SOLAR LED FLOOD LIGHT	500W	L400XW305XD58MM	DL-6500K	1 YEAR



**B42/SL**  
**SOLAR LED BULKHEADS**  
60W/100W/200W  
IP54, ABS+PC



**S626/SL**  
**SOLAR LED HIGH BAY LIGHTS**  
100W/150W  
with hook & chain  
IP54, Aluminium+ABS

Working Mode: Light Control+Remote Control

With Monocrystalline silicon Solar panel, Remote Control, LiFePO4-3.2V Li-ion Batteries and a 5m cable

Charging time: 4-6hours, Working time: 10-12hours

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
B42/SL/60W	8863	SOLAR LED BULKHEAD	60W	Ø238XD60MM	DL-6500K	2 YEAR
B42/SL/100W	8864	SOLAR LED BULKHEAD	100W	Ø280XD64MM	DL-6500K	2 YEAR
B42/SL/200W	8865	SOLAR LED BULKHEAD	200W	Ø320XD68MM	DL-6500K	2 YEAR
S626/LED/SL/100W	8872	SOLAR LED HIGHBAY	100W	Ø350XD200MM	DL-6500K	2 YEAR
S626/LED/SL/150W	8873	SOLAR LED HIGHBAY	150W	Ø400XD200MM	DL-6500K	2 YEAR

**OUTDOOR LIGHTS**  
**SOLAR LED STREET LIGHTS**



**S627/SL**  
**SOLAR LED STREET LIGHTS**  
 100W/200W/300W  
 IP65, Aluminium+Glass  
 with Extension Arm & Solar panel



**S622/SL**  
**ALL IN ONE ABS SOLAR LED STREET LIGHTS**  
 100W/200W/300W/400W/500W  
 IP65, ABS+PC, PIR motion Sensor  
 Integrated Solar panel, without Extension Arm




Working Mode: Light Control+Time Control+Remote Control  
 With Monocrystalline silicon Solar panel, Remote Control & LiFePO4-3.2V Lithium-ion Batteries  
 Charging time: 6-8hours, Working time: 10-12hours

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	SIZE	COL. TEMP.	WARRANTY
S627/LED/SL/ 100W	8879	SOLAR LED STREET LIGHT	100W	L495XW213XH60MM	DL-6500K	2 YEAR
S627/LED/SL/ 200W	8880	SOLAR LED STREET LIGHT	200W	L495XW213XH60MM	DL-6500K	2 YEAR
S627/LED/SL/ 300W	8881	SOLAR LED STREET LIGHT	300W	L495XW213XH60MM	DL-6500K	2 YEAR
S622/SL/100W /LED	8925	ALL IN ONE SOLAR STREET LIGHT	100W	L385XW255XH65MM	DL-6500K	1 YEAR
S622/SL/200W /LED	8926	ALL IN ONE SOLAR STREET LIGHT	200W	L615XW270XH65MM	DL-6500K	1 YEAR
S622/SL/300W /LED	8927	ALL IN ONE SOLAR STREET LIGHT	300W	L595XW365XH85MM	DL-6500K	1 YEAR
S622/SL/400W /LED	8928	ALL IN ONE SOLAR STREET LIGHT	400W	L595XW365XH85MM	DL-6500K	1 YEAR
S622/SL/500W /LED	8929	ALL IN ONE SOLAR STREET LIGHT	500W	L795XW365XH85MM	DL-6500K	1 YEAR



**FL33/RCH/LED/50W (8859)**  
**PORTABLE SOLAR RECHARGEABLE LED FLOOD LIGHT**  
 50W, H270XW235XD50MM, IP65, ABS+Glass  
 Multi-functional, USB & Solar Charging+Power Bank  
 Integrated Solar Panel, Li-ion Batteries and USB Cable included  
 Four Gear Working Mode (100%, 50%, 20% & Flashing)  
 Charging time: 6H, Working time: 15-30H



**ES169/LED/SL/80W (8874)**  
**SOLAR LED TUBE LIGHT**  
 80W, Ø34XL850MM, IP54, ABS  
 With Polycrystalline silicon Solar Panel, Remote,  
 Li-ion Batteries and a 5m Cable  
 Charging time: 6-8H, Working time: 8-10H



**W501/SL/20LED (8862)**  
**SOLAR SENSOR WALL LIGHT**  
 20LED, W96XH126XD50MM, IP65, PP body  
 PIR Motion Sensor, Sensing Range 3-5M  
 Integrated Solar Panel, Li-ion Battery  
 Charging time: 4-6H, Working time: 8-10H



**T8 FLUORESCENTS**  
**OPEN CHANNEL-230V**



**F66**  
2ft/4ft/5ft Single Open Channel  
Including Magnetic Ballast  
Excluding T8 Tubes



**F82**  
2ft/4ft/5ft Double Open Channel  
Including Magnetic Ballast  
Excluding T8 Tubes

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	Ballast	CFL Tube
F66/18/M	8437	2Ft Single	1x18W	T8	L630XW50XD80MM	Magnetic	Excluded
F66/36/M	8438	4Ft Single	1x36W	T8	L1240XW54XD80MM	Magnetic	Excluded
F66/58/M	8439	5Ft Single	1x58W	T8	L1530XW54XD80MM	Magnetic	Excluded
F82/18/M	8440	2Ft Double	2x18W	T8	L630XW100XD80MM	Magnetic	Excluded
F82/36/M	8441	4Ft Double	2x36W	T8	L1240XW100XD80MM	Magnetic	Excluded
F82/58/M	8442	5Ft Double	2x58W	T8	L1530XW100XD80MM	Magnetic	Excluded





T8 LED

EMPTY FIXTURES-230V



**F65**  
2ft/4ft/5ft Single  
LED Open Channel  
Excluding T8 Tubes



**F81/F94**  
2ft/4ft/5ft Double  
LED Open Channel  
Excluding T8 Tubes

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	LED Tube
F65/10W/LED	8521	2Ft Single	1x10W	T8	L620XW41XD25MM	Excluded
F65/18W/LED	8522	4Ft Single	1x18W	T8	L1230XW41XD25MM	Excluded
F65/25W/LED	8523	5Ft Single	1x25W	T8	L1530XW41XD25MM	Excluded
F81/20W/LED	8524	2Ft Double	2x10W	T8	L620XW41XD25MM	Excluded
F81/36W/LED	8525	4Ft Double	2x18W	T8	L1230XW41XD25MM	Excluded
F81/50W/LED	8526	5Ft Double	2x25W	T8	L1530XW41XD25MM	Excluded
F94/36W/LED	8787	4Ft Double (20mm gland)	2x18W	T8	L1230XW41XD28MM	Excluded
F94/50W/LED	8788	5Ft Double (20mm gland)	2x25W	T8	L1530XW41XD28MM	Excluded



**T8 LED**  
**CABINET FITTINGS-230V**



**F85**  
 2ft/4ft/5ft Double Dust Proof Fitting  
 With Prismatic Diffuser  
 Excluding T8 LED Tubes



**F60**  
 2ft/4ft Double Cabinet Fitting  
 With Clear Diffuser  
 Including T8 LED Tubes



**F61**  
 2ft/4ft Double Cabinet Fitting  
 With Silver Grid  
 Including T8 LED Tubes

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	Diffuser	LED Tube
F85/20W/LED	8679	2Ft Double	2x10W	T8	L640XW100XH53MM	Prismatic Diffuser	Excluded
F85/36W/LED	8637	4Ft Double	2x18W	T8	L1240XW100XH53MM	Prismatic Diffuser	Excluded
F85/50W/LED	8638	5Ft Double	2x25W	T8	L1540XW100XH53MM	Prismatic Diffuser	Excluded
F60/20W/LED	8608	2Ft Double	2x10W	T8	L640XW130XH47MM	Clear Diffuser	Included
F60/36W/LED	8609	4Ft Double	2x18W	T8	L1240XW130XH47MM	Clear Diffuser	Included
F61/20W/LED	8610	2Ft Double	2x10W	T8	L640XW130XH47MM	Silver Grid	Included
F61/36W/LED	8611	4Ft Double	2x18W	T8	L1240XW130XH47MM	Silver Grid	Included





**T8 LED**

**WEATHER PROOF-230V**



**F69**  
 2ft/4ft/5ft Single  
 IP65, LED Weather proof  
 With Clear Diffuser  
 Excluding T8 LED Tubes



**F75**  
 2ft/4ft/5ft Double  
 IP65, LED Weather proof  
 With Clear Diffuser  
 Excluding T8 LED Tubes

**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	BASE	SIZE	LED Tube
F69/10W/LED	8529	2Ft Single	1x10W	T8	L660XW75XD60MM	Excluded
F69/18W/LED	8530	4Ft Single	1x18W	T8	L1270XW75XD60MM	Excluded
F69/25W/LED	8742	5Ft Single	1x25W	T8	L1570XW75XD60MM	Excluded
F75/20W/LED	8678	2Ft Double	2x10W	T8	L660XW100XD60MM	Excluded
F75/36W/LED	8647	4Ft Double	2x18W	T8	L1270XW100XD60MM	Excluded
F75/50W/LED	8648	5Ft Double	2x25W	T8	L1562XW110XD60MM	Excluded
F84/58/E	8651	5Ft Double (Electronic)	2x58W	T8	L1570XW100XD60MM	Tube Excl, Ballast Incl.





LED

# INTEGRATED LIGHTS-230V



**F86**  
 2ft/4ft/5ft LED Linear Light  
 (Purification Lamp)  
 IP20, Integrated Light Source  
 Milky diffuser/Cover



**F88**  
 2ft/4ft LED Linear Light  
 (Purification Lamp)  
 IP20, Integrated Light Source  
 Clear prismatic diffuser/cover



**F58- Connectable**  
**F116- Non-Connectable**  
 4ft/5ft LED Tri Proof  
 IP65, Integrated Light Source  
 Milky diffuser/Cover

## SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	Light Source	Warranty
F86/18W/LED	8850	2Ft Linear	18W	L600XW75XD23MM	SMD LED	1year
F86/36W/LED	8851	4Ft Linear	36W	L1200XW75XD23MM	SMD LED	1year
F86/50W/LED	8852	5Ft Linear	50W	L1500XW75XD23MM	SMD LED	1year
F88/28W/LED	8959	2Ft Prismatic Linear	28W	L615XW76XD25MM	SMD LED	2year
F88/50W/LED	8937	4Ft Prismatic Linear	54W	L1215XW76XD25MM	SMD LED	2year
F116/50W/LED	8808	5Ft Tri Proof	50W	L1500XW55XD35MM	SMD LED	2year
F58/50W/LED	8628	5Ft Tri Proof Connectable	50W	L1500XW40XH27MM	SMD LED	2year



**T8 LED  
RECESSED-230V**



**F57/3X18W/LED**  
L1195XW595XD75MM  
Recessed Empty Body

**F57/3X10W/LED**  
L595XW595XD75MM  
Recessed Empty Body



**F136/3X18W/LED**  
L1195XW595XD75MM  
Recessed Empty Body  
With Prismatic Diffuser

**F136/3X10W/LED**  
L595XW595XD75MM  
Recessed Empty Body  
With Prismatic Diffuser



**SPECIFICATIONS:**

MODEL	ITEM CODE	TYPE	WATT	Base	SIZE	COVER	LED Tube
F57/3X10W/LED	8549	2Ft x 2Ft Recessed	3x10W	T8	L595XW595XD75MM	Louvre	Excluded
F57/3X18W/LED	8550	2Ft x 4Ft Recessed	3x18W	T8	L1195XW595XD75MM	Louvre	Excluded
F136/3X10W/LED	8743	2Ft x 2Ft Recessed	3x10W	T8	L595XW595XD75MM	Prismatic	Excluded
F136/3X18W/LED	8744	2Ft x 4Ft Recessed	3x18W	T8	L1195XW595XD75MM	Prismatic	Excluded






LED

## BIG LED PANELS-230V



**2Ft X 2Ft Backlit Recessed LED Panel**  
48W, L595XW595XD30MM




**2Ft x 4Ft Backlit Recessed LED Panel**  
90W, L1195XW595XD30MM

### SPECIFICATIONS:

MODEL	ITEM CODE	TYPE	WATT	SIZE	COVER	Light Source	Warranty
F138/48W/LED	8755	2Ft x 2Ft Recessed LED Panel	48W	L595XW595XD30MM	PS	SMD LED	3year
F139/90W/LED	8817	2Ft x 4Ft Recessed LED Panel	90W	L1195XW595XD30MM	PS	SMD LED	3year
F113/48W/LED	8954	2Ft x 2Ft Recessed LED Panel	48W	L595XW595XD30MM	PS	SMD LED	1year
F113/90W/LED	8955	2Ft x 4Ft Recessed LED Panel	90W	L1195XW595XD30MM	PS	SMD LED	1year



T8/T5  
FLUORESCENTS-230V



**F12/C/8W**  
7978  
L343XW23XH43M  
1X8W, T5

Transparent Diffuser, T5 Tube &  
Electronic Ballast included,  
Connection & Power Cable included



**F9-WH**  
7976  
L645xW40MM  
1x 18W, T8 (included)

Electronic Ballast( included)  
White, On/ Off Switch



**F93/20W/LED**  
8774  
L585XW41XD25MM  
2X10W, T5 LED

**F93/36W/LED**  
8775  
L1185XW41XD25MM  
2X18W, T5 LED



**F11-SC**  
7977  
W190xL1280MM  
2x36W, T8(excluded)

Ballast (included)  
Satin Chrome



**F90/36W/LED**  
8645  
L1200XW80XH36MM  
2X18W, Inbuilt LED tube

**LED NANO LIGHT**  
PC+PC, IP20  
Daylight-6500K  
Beam Angle 300°



**F7-WH**  
W150xL630MM  
2x18W, T8  
White Silver  
7973 7972

Silver/White color, Silver Grid  
Electronic Ballast & T8 tubes included



**FROSTED/KRINKLE/ALABASTER  
GLASS CEILINGS-230V**




**C480**  
8485



**C482**  
8486



**C484**  
8487



**C425**  
7780



**C445**  
7805



**C403/N**  
8417



**C468/N/S**  
7839

**Φ300MM, Chrome clips  
2XE27, 60W/ES11W, 230V  
lamp not included  
Frosted Glass/Alabaster Glass/  
Krinkle Glass**



**C439/N**  
7797



**C435/Chs/S**  
7793  
Φ200×98MM  
1×E27

Round Cheese Fitting

**CHEESE**



**C443/Chs/S**  
7804  
200x200x115 MM  
1×E27

Square Cheese Fitting

**C435/Chs/L**  
7792  
Φ250×98MM  
1×E27

**C443/Chs/L**  
7803  
250x250x115MM  
1×E27




LED  
PLASTIC CEILING-230V



C488/LED

12W	18W	24W
8601	8602	8603



C499/LED

12W	18W	24W
8675	8722	8730




C500/LED

12W	18W	24W
8676	8723	8731




C501/LED

12W	18W	24W
8677	8724	8732



C503/LED

12W	18W	24W
8684	8737	8740



C513/LED

12W	18W	24W
8686	8725	8733



C515/LED

12W	18W	24W
8688	8726	8734



C516/LED

12W	18W	24W
8689	8727	8735

12W: Φ190MM, 18W: Φ230MM, 24W: Φ300MM  
Daylight 6000K, LED Module included




**THREE COLOR LED  
PLASTIC CEILINGS-230V**



C504/48W  
8938



C505/48W  
8939



C506/48W  
8940



C507/48W  
8941



C508/48W  
8952



C509/48W  
8953

**Tri-Color LED Ceiling Light**  
48W, 230V,  $\Phi$ 400MM, Plastic Cover, IP20  
6000K|4000K|3000K

**GU10  
LAMPHOLDER- 230V**



H1  
8030  
GU10 Lampholder 230V  
With 150mm wire



H1/BR  
8031  
GU10 Lampholder 230V  
With Bracket & Earthing & 100mm wire

**PRESSED METAL  
DOWNLIGHTERS-12V/230V**



**D840**

Φ80MM, Cutout 55MM  
Straight, Twist Off Ring

Gun Metal	Satin Chrome	White
8555	8556	8557



**D841**

Φ90MM, Cutout 70MM  
Tilt, Twist Off Ring

Gun Metal	Satin Chrome	White
8558	8559	8560



**D818**

Φ86×H75MM, Cutout 55MM,  
Straight with Bracket, 1XGU10, 230V

G. Metal,	P. Brass,	S.Chrome,	White
7900	7901	7902	7903



**D819**

Φ95×H75MM, Cutout 65MM,  
Tilt with Bracket, 1XGU10, 230V

G. Metal,	P. Brass,	S.Chrome,	White
7904	7905	7906	7907

**LED  
DOWNLIGHTERS-230V**



**D835/LED/6W**

White	Silver	White+Silver
8597	8614	8598

6W, Daylight 6000K  
Φ105MM, cutout Φ75-95MM, H33MM  
Beam Angle 90°



**D816/N**

8281  
LED 3X1W  
D86xH76MM, Cutout 70MM  
Aluminium, Tilt  
Cool White 4200K  
Complete with Driver included



**LED**  
**ROUND LED PANEL-230V**



**C486/LED**

6W	9W	12W	18W	24W
8957	8538	8539	8459	8604

6W-  $\Phi$ 120XH20MM, cutout  $\Phi$ 105MM  
 9W-  $\Phi$ 145XH20MM, cutout  $\Phi$ 130MM  
 12W-  $\Phi$ 170XH20MM, cutout  $\Phi$ 150MM  
 18W-  $\Phi$ 225XH20MM, cutout  $\Phi$ 205MM  
 24W-  $\Phi$ 295XH20MM, cutout  $\Phi$ 282MM


**LED ROUND PANEL**  
 RECESSED/SURFACE  
 Aluminium body + PS diffuser  
 SMD LED, Daylight 6000K  
 Beam Angle 120°



**C487/LED**

6W	12W	18W
8605	8606	8607

6W-  $\Phi$ 120XH32MM  
 12W-  $\Phi$ 170XH32MM  
 18W-  $\Phi$ 220XH32MM



**C529/LED/22W**  
 8858

Round Frameless Panel/Ceiling Light  
 22W,  $\Phi$ 170XH17MM, Adjustable Cutout

**LED**  
**ROUND MODULES-230V**



**ROUND LED MODULES FOR INDOOR CEILING LIGHT 12W/18W/24W**  
 IP20, Daylight 6000K, Beam Angle 120°, Plastic+Aluminium, Magnetic Base

ES108/12W (8705)- 12W,  $\Phi$ 115MM  
 ES108/18W (8706)- 18W,  $\Phi$ 155MM  
 ES108/24W (8707)- 24W,  $\Phi$ 180MM





**DIECAST ALUMINIUM LANTERNS  
OUTDOOR LIGHTS-230V**



**L6-U**      **L6-D**  
190 x 170 x 370MM  
6 Panel

Up Matt Black 8035      Down Matt Black 8037



**L7-U**      **L7-D**  
190 x 150 x 360MM  
4 Panel

Up Matt Black 8041      Down Matt Black 8040



**L19**  
W170XH420MM  
6 Panel  
Matt Black  
8049



**L20**  
W150XH395MM  
4 Panel  
Matt Black  
8051



**L13**  
175 x 100 x 365MM  
3 Panel  
Matt Black 8044      MB+AG 8045



**L15**  
220 x 125 x 383MM  
4 Panel, 2xE27  
Matt Black  
8300



 **DIECAST ALUMINIUM BULKHEADS**  
**OUTDOOR LIGHTS-230V**



**B8/S**

Φ180×D100MM

Black 7714  
White 7715

**B8/L**

Φ245×D120MM

Black 7712  
White 7713



**B9/S**

Φ180×D100MM

Black 7718  
White 7719

**B9/L**

Φ245×D120MM

Black 7716  
White 7717



**B1**

L280×W160MM

Black 7700  
White 7701

**B2**

L213×W107MM

Black 7702  
White 7703

 **LED BULKHEADS**  
**OUTDOOR LIGHTS-230V**



**B34/LED/12W**

12W, Round  
Ø220XH98MM  
Black White  
8693 8694



**B37/LED/12W**

12W, Round  
Ø160XH40MM  
Black White  
8699 8700



**B43/24W/LED**

24W, Round  
Ø220XD68MM  
Black White  
8960 8961



**B44/24W/LED**

24W, Oval  
L270XW143XD68MM  
Black White  
8962 8963

**Round/ Oval Shape LED Bulkheads**

Plastic Body, IP54/IP65, Daylight 6000K, Beam Angle 120°





**SS LANTERN/ WALL LIGHT**  
**OUTDOOR LIGHTS-230V**



**L36**  
8789

Ø115XD125XH340MM  
Opal Perspex Cover  
1XE27, ES13W (excluded)



**SSW4**  
8200

Φ115XH330MM  
Opal Perspex Cover  
1XE27, ES13W (excluded)



**SSW21**  
8207

Ø60XD90XH160MM  
2XGU10, ES13W (excluded)  
Up & Down Facing



**SSW20**  
8206

Ø60XD90XH160MM  
1XGU10, ES13W (excluded)  
Adjustable Swivel Head



**SSW12**  
8202

Φ150×H390MM  
Clear Perspex Cover  
1XE27, ES13W (excluded)



**L35**  
8792

D105XW110XH300MM  
Diecast Aluminium  
2XGU10, ES13W (excluded)



**ODW19/WW**  
8085

D60XW80XH285MM  
Diecast Aluminium  
1XGU10, ES50W (excluded)



**ODW20/B**  
8086

D108XH130MM  
Diecast Aluminium  
1XE14, ES60W (excluded)




**SATIN**  
**SPOTLIGHTS-230V**



**S647**  
8168  
780x275x155MM  
4xG9, 40W  
Satin Chrome



**S642**  
8164  
780x280x150MM  
4xGU10, 50W  
Wood Base with Satin Chrome Fitting



**S679**  
8190  
150x90x355MM  
2xGU10  
Antique Brass

Satin Chrome, Double Glass-Frosted Glass inside, Clear Glass outside



**C451/AB**  
7811  
270x270MM  
2xE27

**C452/AB**  
7813  
225x225MM  
1xE27

Bayonet fit



SATIN  
SPOTLIGHTS-230V



S607  
8138  
105×52×550MM  
3×G9



S608  
8140  
105×52×720MM  
4×G9

SATIN BRASS&CHROME,G9,40W, INCLUDED



S635N  
8158  
145×90×720MM  
4×G9,40W  
Satin Chrome



S628N  
8152  
145×90×620MM  
3×G9,40W  
Satin Chrome





# **EuroLite (Pty) Ltd.**

P.O.Box 323  
Randpark Ridge 2156  
South Africa

Physical Address:  
C56/3 Harley Street,  
Founders Hill, Modderfontein  
Johannesburg 1645, South Africa

Sales Department Tel: +27 (0) 11 608 0458  
+27 (0) 11 608 4650  
+27 (0) 10 006 0338

Fax: 27(0)86 517 6590

**E-mail: [support@starlit.co.za](mailto:support@starlit.co.za)**

**[eurolitefax@gmail.com](mailto:eurolitefax@gmail.com)**

**URL: [www.starlit.co.za](http://www.starlit.co.za)**